

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	106	vertical handoff	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L2	19	vertical handoff and @ad<="20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L3	4692	mobile with (transmits adj3 information) and @ad<="20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L4	209	L3 and handoff	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L5	336	mobile with (transmits adj3 ((management or control or id or identity or connection or identification) information)) and @ad<="20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L6	22	L5 and handoff	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L7	637	mobile same (plurality adj3 network) and @ad<="20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L8	18	mobile same (plurality adj3 network) same wlan and @ad<="20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L9	11	mobile same (plurality adj3 network) same wlan and @ad<="20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25

L10	12	mobile same (plurality adj3 network) and wlan and convert and @ad<="20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L11	397	mobile and handoff and convert and @ad<="20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L12	1362	mobile and (plurality adj3 network\$5) and @ad<="20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L13	308	L12 and relay	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L14	118	mobile and handoff and (detect WITH network) and @ad<="20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L15	9	mobile and handoff and (detect WITH presence with network) and @ad<="20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L16	33	mobile and handoff and (detect WITH presence with network) and @ad<="20020719"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L17	83	mobile with (transmits adj3 ((management or control or id or identity or connection or identification) information)) and @ad<="20030710" and handoff	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L18	83	mobile with (transmits adj3 ((management or control or id or identity or connection or identification) information)) and @ad<="20030710" and handoff	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25

L19	5	L18 and (convert with format)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L20	1362	mobile and (plurality adj3 network\$5) and @ad<="20020719"	US-PGRUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L21	129	L20 and (convert with format)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L22	4	L21 and wlan	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L23	0	("2001-086547").PN.	JPO	OR	OFF	2008/09/09 12:25
L24	1	("2001086547").PN.	JPO	OR	OFF	2008/09/09 12:25
L25	15	L20 and wlan and encapsulat \$6	US-PGRUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L26	336	mobile with (transmits adj3 ((management or control or id or identity or connection or identification) information)) and @ad<="20030710"	US-PGRUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L27	48	L26 and (handoff or handover or hand-off or hand-over)	US-PGRUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25

L28	12	(US-20030095523-\$ or US-20040209615-\$ or US-20040160919-\$ or US-20010040874-\$ or US-20030096614-\$ or US-20020187780-\$ or US-20030152049-\$ or US-20050030973-\$ or US-20050259676-\$ or US-20030087655-\$ or US-20010007551-\$ or US-20020048266-\$).did. or (US-6975604-\$).did. or (GB-2389005-\$).did. or (JP-2001086547-\$).did.	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2008/09/09 12:25
L29	0	L28 and (convert WITH to)	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2008/09/09 12:25
L30	6	L28 and convert	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2008/09/09 12:25
L31	1	("6505255").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/09/09 12:25
L32	2	"20040260805"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L33	14	(US-20020048266-\$ or US-20040160919-\$ or US-20040209615-\$ or US-20030095523-\$ or US-20050030973-\$ or US-20020187780-\$ or US-20030152049-\$ or US-20010040874-\$ or US-20030096614-\$ or US-20010007551-\$ or US-20050259676-\$ or US-20030087655-\$).did. or (US-6975604-\$).did. or (GB-2389005-\$).did. or (JP-2001086547-\$).did.	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2008/09/09 12:25
L34	0	L33 and SIP	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25

L35	6	SIP and token and refer and "802.11" and mobile and valid\$6 and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L36	14	SIP and token and "802.11" and mobile and (valid\$6 or authenticat\$5) and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L37	8	SIP and token and "802.11" and (mobile with (valid\$6 or authenticat\$5)) and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L38	1	((SIP or session initiation protocol) with server and parlay and "802.11" and (mobile with (valid\$6 or authenticat\$5)) and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L39	0	((send or transmit) with(SIP or session initiation protocol) with server) and (mobile with (valid\$6 or authenticat\$5))and parlay and "802.11" and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L40	76	((send or transmit) with(SIP or session initiation protocol) with server) and (mobile with (valid\$6 or authenticat\$5))and wireless and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L41	5	((send or transmit) with(SIP or session initiation protocol) with server) and (mobile with (valid\$6 or authenticat\$5))and wireless and "802.11" and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L42	0	((send or transmit) with(SIP or session initiation protocol) with server) with (mobile with (valid\$6 or authenticat\$5))and wireless and "802.11" and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25

L43	0	((send or transmit) with(SIP or session initiation protocol) with server) same (mobile with (valid\$6 or authenticat\$5)) and wireless and "802.11" and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L44	0	((send or transmit) with(SIP or session initiation protocol) with server) same (mobile same (valid\$6 or authenticat\$5)) and wireless and "802.11" and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L45	16	((SIP or session initiation protocol)) same (mobile same (valid\$6 or authenticat\$5)) and wireless and "802.11" and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L46	0	((SIP or session initiation protocol)) same ("with" near4 mobile same (valid\$6 or authenticat\$5)) and wireless and "802.11" and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L47	0	((SIP or session initiation protocol)) and ("with" near4 mobile same (valid\$6 or authenticat\$5)) and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L48	609	((SIP or session initiation protocol)) and (mobile same (valid\$6 or authenticat\$5)) and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L49	209	((SIP or session initiation protocol)) and ((valid\$6 or authenticat\$5) adj5 mobile) and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L50	45	((valid\$6 or authenticat\$5)) with ((SIP or session initiation protocol)) with mobile and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25

L51	1	((valid\$6 or authenticat\$5)) with ((SIP or session initiation protocol)) with mobile with token and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L52	2	((valid\$6 or authenticat\$5)) with ((SIP or session initiation protocol)) with mobile and token and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L53	0	((valid\$6 or authenticat\$5)) with ((SIP or session initiation protocol)) with mobile with home and token and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L54	10	((valid\$6 or authenticat\$5)) with ((SIP or session initiation protocol)) with mobile with home and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L55	24	((SIP or session initiation protocol)) same ((valid\$6 or authenticat\$5)) with mobile with home and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L56	0	((valid\$6 or authenticat\$5)) with ((parlay)) with mobile and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L57	1	((valid\$6 or authenticat\$5)) same ((parlay)) with mobile and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L58	0	((valid\$6 or authenticat\$5)) with mobile same parlay and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L59	5	((valid\$6 or authenticat\$5)) with mobile and parlay and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25

L60	26	(US-20030095523-\$ or US-20040209615-\$ or US-20040160919-\$ or US-20020048266-\$ or US-20010040874-\$ or US-20030096614-\$ or US-20010007551-\$ or US-20030105962-\$ or US-20030087655-\$ or US-20020187780-\$ or US-20050096048-\$ or US-20030212800-\$ or US-20030172090-\$ or US-20030152049-\$ or US-20050064853-\$ or US-20050030973-\$ or US-20050259676-\$ or US-20040260805-\$ or US-20040193712-\$ or US-20040087307-\$ or US-20030014668-\$ or US-20030039237-\$ or US-20040153525-\$).did. or (US-6975604-\$ or US-7184418-\$).did. or (GB-2389005-\$).did. or (JP-2001086547-\$).did.	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2008/09/09 12:25
L61	8	L60 and "802.11"	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2008/09/09 12:25
L62	0	L60 and "802.15"	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2008/09/09 12:25
L63	0	L60 and "802.16"	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2008/09/09 12:25
L64	0	L60 and "802.20"	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2008/09/09 12:25
L65	3	L60 and "802" and bluetooth	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2008/09/09 12:25
L66	0	L60 and "802" and wimax	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2008/09/09 12:25
L67	61	"802.11" and "802.15" and authenticat\$5 and @ad<="20030710"	US-PGPUB; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25

L68	0	2005/0022007.did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L69	2	"20050022007".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L70	8	(US-20030105962-\$ or US-20050096048-\$ or US-20040193712-\$ or US-20030014668-\$ or US-20040087307-\$ or US-20050022007-\$ or US-20040186901-\$).did. or (US-7184418-\$).did.	US-PGPUB; USPAT	ADJ	ON	2008/09/09 12:25
L71	30957	(709/220-222,227-237,249/370/254-271,331).cls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L72	6827	(709/229-230).cls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L73	51	forward with authentication with token and @ad> "20030429"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L74	14	forward near3 authentication request and SIP and @ad> "20030429"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L75	3	forward near3 authentication request and SIP and @ad< "20030429"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25

L76	20	forward with authentication with token and @ad< "20030429"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L77	2669	709/204.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L78	246	709/204.ccls. and sip	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L79	8	709/204.ccls. and sip and token and authentication	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L80	0	("2006/0031291").URPN.	USPAT	ADJ	ON	2008/09/09 12:25
L81	0	("2006/0031291").URPN.	USPAT	ADJ	ON	2008/09/09 12:25
L82	11	("5317683" "5491797" "5541639" "5574934" "5642156" "5859979" "5949975" "6006253" "6336133" "6339784" "6604129").PN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/09/09 12:25
L83	2	"20040161257".did.	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L84	9	US-8030067-\$.DID. OR US-6487602-\$.DID. OR US-6456852-\$.DID. OR US-6580906-\$.DID. OR US-6035193-\$.DID. OR US-6097817-\$.DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L85	2	"20050091344".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25

L86	2	"20030078961".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L87	106	vertical handoff	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L88	19	vertical handoff and @ad<="20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L89	4692	mobile with (transmits adj3 information) and @ad<="20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L90	209	L89 and handoff	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L91	336	mobile with (transmits adj3 ((management or control or id or identity or connection or identification) information)) and @ad<="20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L92	22	L91 and handoff	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L93	637	mobile same (plurality adj3 network) and @ad<="20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L94	18	mobile same (plurality adj3 network) same wlan and @ad<="20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L95	11	mobile same (plurality adj3 network) same wlan and @ad<="20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25

L96	12	mobile same (plurality adj3 network) and wlan and convert and @ad<="20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L97	397	mobile and handoff and convert and @ad<="20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L98	1362	mobile and (plurality adj3 network\$5) and @ad<="20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L99	308	L98 and relay	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L100	118	mobile and handoff and (detect WITH network) and @ad<="20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L101	9	mobile and handoff and (detect WITH presence with network) and @ad<="20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L102	33	mobile and handoff and (detect WITH presence with network) and @ad<="20020719"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L103	83	mobile with (transmits adj3 ((management or control or id or identity or connection or identification) information)) and @ad<="20030710" and handoff	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L104	83	mobile with (transmits adj3 ((management or control or id or identity or connection or identification) information)) and @ad<="20030710" and handoff	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25

L105	5	L104 and (convert with format)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L106	1362	mobile and (plurality adj3 network\$5) and @ad<="20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L107	129	L106 and (convert with format)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L108	4	L107 and wlan	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L109	0	(*2001-086547*).PN.	JPO	OR	OFF	2008/09/09 12:25
L110	1	(*2001086547*).PN.	JPO	OR	OFF	2008/09/09 12:25
L111	15	L106 and wlan and encapsulat\$6	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L112	336	mobile with (transmits adj3 ((management or control or id or identity or connection or identification) information)) and @ad<="20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L113	48	L112 and (handoff or handover or hand-off or hand-over)	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25

L114	12	(US-20030095523-\$ or US-20040209615-\$ or US-20040160919-\$ or US-20010040874-\$ or US-20030096614-\$ or US-20020187780-\$ or US-20030152049-\$ or US-20050030973-\$ or US-20050259676-\$ or US-20030087655-\$ or US-20010007551-\$ or US-20020048266-\$).did. or (US-6975604-\$).did. or (GB-2389005-\$).did. or (JP-2001086547-\$).did.	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2008/09/09 12:25
L115	0	L114 and (convert WITH to)	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2008/09/09 12:25
L116	6	L114 and convert	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2008/09/09 12:25
L117	1	("6505255").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/09/09 12:25
L118	2	"20040260805"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L119	14	(US-20020048266-\$ or US-20040160919-\$ or US-20040209615-\$ or US-20030095523-\$ or US-20050030973-\$ or US-20020187780-\$ or US-20030152049-\$ or US-20010040874-\$ or US-20030096614-\$ or US-20010007551-\$ or US-20050259676-\$ or US-20030087655-\$).did. or (US-6975604-\$).did. or (GB-2389005-\$).did. or (JP-2001086547-\$).did.	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2008/09/09 12:25
L120	0	L119 and SIP	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25

L121	6	SIP and token and refer and "802.11" and mobile and valid\$6 and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L122	14	SIP and token and "802.11" and mobile and (valid\$6 or authenticat\$5) and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L123	8	SIP and token and "802.11" and (mobile with (valid\$6 or authenticat\$5)) and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L124	1	((SIP or session initiation protocol) with server and parlay and "802.11" and (mobile with (valid\$6 or authenticat\$5)) and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L125	0	((send or transmit) with(SIP or session initiation protocol) with server) and (mobile with (valid\$6 or authenticat\$5))and parlay and "802.11" and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L126	76	((send or transmit) with(SIP or session initiation protocol) with server) and (mobile with (valid\$6 or authenticat\$5))and wireless and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L127	5	((send or transmit) with(SIP or session initiation protocol) with server) and (mobile with (valid\$6 or authenticat\$5))and wireless and "802.11" and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L128	0	((send or transmit) with(SIP or session initiation protocol) with server) with (mobile with (valid\$6 or authenticat\$5))and wireless and "802.11" and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25

L129	0	((send or transmit) with(SIP or session initiation protocol) with server) same (mobile with (valid\$6 or authenticat\$5)) and wireless and "802.11" and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L130	0	((send or transmit) with(SIP or session initiation protocol) with server) same (mobile same (valid\$6 or authenticat\$5)) and wireless and "802.11" and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L131	16	((SIP or session initiation protocol)) same (mobile same (valid\$6 or authenticat\$5)) and wireless and "802.11" and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L132	0	((SIP or session initiation protocol)) same ("with" near4 mobile same (valid\$6 or authenticat\$5)) and wireless and "802.11" and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L133	0	((SIP or session initiation protocol)) and ("with" near4 mobile same (valid\$6 or authenticat\$5)) and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L134	609	((SIP or session initiation protocol)) and (mobile same (valid\$6 or authenticat\$5)) and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L135	209	((SIP or session initiation protocol)) and ((valid\$6 or authenticat\$5) adj5 mobile) and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L136	45	((valid\$6 or authenticat\$5)) with ((SIP or session initiation protocol)) with mobile and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25

L137	1	((valid\$6 or authenticat\$5)) with ((SIP or session initiation protocol)) with mobile with token and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L138	2	((valid\$6 or authenticat\$5)) with ((SIP or session initiation protocol)) with mobile and token and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L139	0	((valid\$6 or authenticat\$5)) with ((SIP or session initiation protocol)) with mobile with home and token and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L140	10	((valid\$6 or authenticat\$5)) with ((SIP or session initiation protocol)) with mobile with home and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L141	24	((SIP or session initiation protocol)) same ((valid\$6 or authenticat\$5)) with mobile with home and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L142	0	((valid\$6 or authenticat\$5)) with ((parlay)) with mobile and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L143	1	((valid\$6 or authenticat\$5)) same ((parlay)) with mobile and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L144	0	((valid\$6 or authenticat\$5)) with mobile same parlay and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L145	5	((valid\$6 or authenticat\$5)) with mobile and parlay and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25

L146	26	(US-20030095523-\$ or US-20040209615-\$ or US-20040160919-\$ or US-20020048266-\$ or US-20010040874-\$ or US-20030096614-\$ or US-20010007551-\$ or US-20030105962-\$ or US-20030087655-\$ or US-20020187780-\$ or US-20050096048-\$ or US-20030212800-\$ or US-20030172090-\$ or US-20030152049-\$ or US-20050064853-\$ or US-20050030973-\$ or US-20050259676-\$ or US-20040260805-\$ or US-20040193712-\$ or US-20040087307-\$ or US-20030014668-\$ or US-20030039237-\$ or US-20040153525-\$).did. or (US-6975604-\$ or US-7184418-\$).did. or (GB-2389005-\$).did. or (JP-2001086547-\$).did.	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2008/09/09 12:25
L147	8	L146 and "802.11"	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2008/09/09 12:25
L148	0	L146 and "802.15"	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2008/09/09 12:25
L149	0	L146 and "802.16"	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2008/09/09 12:25
L150	0	L146 and "802.20"	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2008/09/09 12:25
L151	3	L146 and "802" and bluetooth	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2008/09/09 12:25
L152	0	L146 and "802" and wimax	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2008/09/09 12:25
L153	61	"802.11" and "802.15" and authenticat\$5 and @ad<="20030710"	US-PGPUB; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25

L154	0	2005/0022007.did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L155	2	"20050022007".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L156	8	(US-20030105962-\$ or US-20050096048-\$ or US-20040193712-\$ or US-20030014668-\$ or US-20040087307-\$ or US-20050022007-\$ or US-20040186901-\$).did. or (US-7184418-\$).did.	US-PGPUB; USPAT	ADJ	ON	2008/09/09 12:25
L157	30957	(709/220-222,227-237,249/370/254-271,331).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L158	6827	(709/229-230).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L159	51	forward with authentication with token and @ad> "20030429"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L160	14	forward near3 authentication request and SIP and @ad> "20030429"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L161	3	forward near3 authentication request and SIP and @ad< "20030429"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25

L162	20	forward with authentication with token and @ad< "20030429"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L163	2669	709/204.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L164	246	709/204.ccls. and sip	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L165	8	709/204.ccls. and sip and token and authentication	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L166	0	("2006/0031291").URPN.	USPAT	ADJ	ON	2008/09/09 12:25
L167	0	("2006/0031291").URPN.	USPAT	ADJ	ON	2008/09/09 12:25
L168	11	("5317683" "5491797" "5541639" "5574934" "5642156" "5859979" "5949975" "6006253" "6336133" "6339784" "6604129").PN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/09/09 12:25
L169	2	"20040161257".did.	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L170	9	US-8030067-\$.DID. OR US-6487602-\$.DID. OR US-6456852-\$.DID. OR US-6580906-\$.DID. OR US-6035193-\$.DID. OR US-6097817-\$.DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
L171	2	"20050091344".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25

L172	2	"20030078961".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 12:25
S1	68	vertical handoff	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/30 15:05
S3	21	vertical handoff and @ad<="20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/02 10:00
S4	4861	mobile with (transmits adj3 information) and @ad<="20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/17 15:43
S5	208	S4 and handoff	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/02 10:01
S6	351	mobile with (transmits adj3 ((management or control or id or identity or connection or identification) information)) and @ad<="20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/02 12:27
S7	23	S6 and handoff	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/04 09:20
S8	637	mobile same (plurality adj3 network) and @ad<="20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/02 10:32
S9	18	mobile same (plurality adj3 network) same wlan and @ad<="20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/02 10:34
S10	11	mobile same (plurality adj3 network) same wlan and @ad<="20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/02 10:46

S11	12	mobile same (plurality adj3 network) and wlan and convert and @ad<="20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/02 10:51
S13	398	mobile and handoff and convert and @ad<="20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/02 10:54
S17	1370	mobile and (plurality adj3 network\$5) and @ad<="20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/03 08:40
S19	307	S17 and relay	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/02 10:57
S20	118	mobile and handoff and (detect WITH network) and @ad<="20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/02 11:12
S21	9	mobile and handoff and (detect WITH presence with network) and @ad<="20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/02 12:26
S22	31	mobile and handoff and (detect WITH presence with network) and @ad<="20020719"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/02 12:26
S23	79	mobile with (transmits adj3 ((management or control or id or identity or connection or identification) information)) and @ad<="20030710" and handoff	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/03 08:19
S24	79	mobile with (transmits adj3 ((management or control or id or identity or connection or identification) information)) and @ad<="20030710" and handoff	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/03 08:19

S25	5	S24 and (convert with format)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/03 08:22
S26	1370	mobile and (plurality adj3 network\$5) and @ad<="20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/03 08:22
S27	129	S26 and (convert with format)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/03 08:28
S28	4	S27 and wlan	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/03 08:22
S29	0	("2001-086547").PN.	JPO	OR	OFF	2007/04/03 08:28
S30	1	("2001086547").PN.	JPO	OR	OFF	2007/04/03 08:28
S31	15	S26 and wlan and encapsulat \$6	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/25 13:33
S32	351	mobile with (transmits adj3 ((management or control or id or identity or connection or identification) information)) and @ad<="20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/04 09:20
S33	50	S32 and (handoff or handover or hand-off or hand-over)	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/04 09:20

S34	15	(US-20030095523-\$ or US-20040209615-\$ or US-20040160919-\$ or US-20010040874-\$ or US-20030096614-\$ or US-20020187780-\$ or US-20030152049-\$ or US-20050030973-\$ or US-20050259676-\$ or US-20030087655-\$ or US-20010007551-\$ or US-20020048266-\$).did. or (US-6975604-\$).did. or (GB-2389005-\$).did. or (JP-2001086547-\$).did.	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2007/04/04 10:14
S35	0	S34 and (convert WITH to)	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2007/04/04 10:14
S36	6	S34 and convert	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2007/04/04 10:18
S37	1	("6505255").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/04/04 10:18
S38	2	"20040260805"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 14:12
S39	15	(US-20020048266-\$ or US-20040160919-\$ or US-20040209615-\$ or US-20030095523-\$ or US-20050030973-\$ or US-20020187780-\$ or US-20030152049-\$ or US-20010040874-\$ or US-20030096614-\$ or US-20010007551-\$ or US-20050259676-\$ or US-20030087655-\$).did. or (US-6975604-\$).did. or (GB-2389005-\$).did. or (JP-2001086547-\$).did.	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2007/08/08 14:22
S40	0	S39 and SIP	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 14:22

S41	5	SIP and token and refer and "802.11" and mobile and valid\$6 and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 14:41
S42	12	SIP and token and "802.11" and mobile and (valid\$6 or authenticat\$5) and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 14:46
S43	6	SIP and token and "802.11" and (mobile with (valid\$6 or authenticat\$5)) and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 14:52
S44	1	((SIP or session initiation protocol) with server and parlay and "802.11" and (mobile with (valid\$6 or authenticat\$5)) and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 14:55
S45	0	((send or transmit) with(SIP or session initiation protocol) with server) and (mobile with (valid\$6 or authenticat\$5))and parlay and "802.11" and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 14:56
S46	67	((send or transmit) with(SIP or session initiation protocol) with server) and (mobile with (valid\$6 or authenticat\$5))and wireless and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 14:56
S47	3	((send or transmit) with(SIP or session initiation protocol) with server) and (mobile with (valid\$6 or authenticat\$5))and wireless and "802.11" and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 15:05
S48	0	((send or transmit) with(SIP or session initiation protocol) with server) with (mobile with (valid\$6 or authenticat\$5))and wireless and "802.11" and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 15:06

S49	0	((send or transmit) with(SIP or session initiation protocol) with server) same (mobile with (valid\$6 or authenticat\$5)) and wireless and "802.11" and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 15:06
S50	0	((send or transmit) with(SIP or session initiation protocol) with server) same (mobile same (valid\$6 or authenticat\$5)) and wireless and "802.11" and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 15:06
S52	13	((SIP or session initiation protocol)) same (mobile same (valid\$6 or authenticat\$5)) and wireless and "802.11" and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 15:40
S53	0	((SIP or session initiation protocol)) same ("with" near4 mobile same (valid\$6 or authenticat\$5)) and wireless and "802.11" and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 15:41
S54	0	((SIP or session initiation protocol)) and ("with" near4 mobile same (valid\$6 or authenticat\$5)) and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 15:41
S55	535	((SIP or session initiation protocol)) and (mobile same (valid\$6 or authenticat\$5)) and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 15:41
S56	185	((SIP or session initiation protocol)) and ((valid\$6 or authenticat\$5) adj5 mobile) and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 15:48
S57	36	((valid\$6 or authenticat\$5)) with ((SIP or session initiation protocol)) with mobile and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 16:01

S58	1	((valid\$6 or authenticat\$5)) with ((SI P or session initiation protocol)) with mobile with token and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 16:10
S59	2	((valid\$6 or authenticat\$5)) with ((SI P or session initiation protocol)) with mobile and token and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 16:26
S60	0	((valid\$6 or authenticat\$5)) with ((SI P or session initiation protocol)) with mobile with home and token and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 16:26
S61	5	((valid\$6 or authenticat\$5)) with ((SI P or session initiation protocol)) with mobile with home and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 16:28
S62	15	((SI P or session initiation protocol)) same ((valid\$6 or authenticat\$5)) with mobile with home and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 16:28
S63	0	((valid\$6 or authenticat\$5)) with ((parlay)) with mobile and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 16:01
S64	1	((valid\$6 or authenticat\$5)) same ((parlay)) with mobile and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/14 10:21
S65	0	((valid\$6 or authenticat\$5)) with mobile same parlay and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/13 16:02
S66	5	((valid\$6 or authenticat\$5)) with mobile and parlay and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/14 10:21

S67	27	(US-20030095523-\$ or US-20040209615-\$ or US-20040160919-\$ or US-20020048266-\$ or US-20010040874-\$ or US-20030096614-\$ or US-20010007551-\$ or US-20030105962-\$ or US-20030087655-\$ or US-20020187780-\$ or US-20050096048-\$ or US-20030212800-\$ or US-20030172090-\$ or US-20030152049-\$ or US-20050064853-\$ or US-20050030973-\$ or US-20050259676-\$ or US-20040260805-\$ or US-20040193712-\$ or US-20040087307-\$ or US-20030014668-\$ or US-20030039237-\$ or US-20040153525-\$).did. or (US-6975604-\$ or US-7184418-\$).did. or (GB-2389005-\$).did. or (JP-2001086547-\$).did.	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2007/08/17 15:15
S68	8	S67 and "802.11"	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2007/08/17 15:38
S69	0	S67 and "802.15"	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2007/08/17 15:16
S70	0	S67 and "802.16"	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2007/08/17 15:16
S71	0	S67 and "802.20"	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2007/08/17 15:16
S72	3	S67 and "802" and bluetooth	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2007/08/17 15:43
S73	0	S67 and "802" and wimax	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2007/08/17 15:43
S74	60	"802.11" and "802.15" and authenticat\$5 and @ad<="20030710"	US-PGPUB; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/17 15:49

S75	0	2005/0022007.did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/20 09:47
S76	2	"20050022007".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/20 09:47
S77	8	(US-20030105962-\$ or US-20050096048-\$ or US-20040193712-\$ or US-20030014668-\$ or US-20040087307-\$ or US-20050022007-\$ or US-20040186901-\$).did. or (US-7184418-\$).did.	US-PGPUB; USPAT	ADJ	ON	2007/08/20 09:54
S78	26227	(709/220-222,227-237,249 370/254-271,331).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/20 10:52
S79	5840	(709/229-230).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/20 10:52
S80	34	forward with authentication with token and @ad> "20030429"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/25 09:53
S81	7	forward near3 authentication request and SIP and @ad> "20030429"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/25 09:53
S82	3	forward near3 authentication request and SIP and @ad< "20030429"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/25 12:11

S83	20	forward with authentication with token and @ad< "20030429"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/25 12:13
S84	2361	709/204.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/25 12:11
S85	208	709/204.ccls. and sip	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/25 12:12
S86	7	709/204.ccls. and sip and token and authentication	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/25 12:15
S87	0	("2006/0031291").URPN.	USPAT	ADJ	ON	2008/01/25 12:19
S88	0	("2006/0031291").URPN.	USPAT	ADJ	ON	2008/01/25 12:19
S89	11	("5317683" "5491797" "5541639" "5574934" "5642156" "5859979" "5949975" "6006253" "6336133" "6339784" "6604129").PN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/01/25 12:21
S90	2	"20040161257".did.	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/01/25 13:33
S91	9	US-8030067-\$.DID. OR US-6487602-\$.DID. OR US-6456852-\$.DID. OR US-6580906-\$.DID. OR US-6035193-\$.DID. OR US-6097817-\$.DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 09:51
S92	2	"20050091344".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 10:19

S93	2	"20030078961".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 10:27
S94	87	vertical handoff	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S95	21	vertical handoff and @ad<="20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S96	4877	mobile with (transmits adj3 information) and @ad<="20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S97	209	S96 and handoff	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S98	354	mobile with (transmits adj3 ((management or control or id or identity or connection or identification) information)) and @ad<="20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S99	23	S98 and handoff	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S100	639	mobile same (plurality adj3 network) and @ad<="20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S101	18	mobile same (plurality adj3 network) same wlan and @ad<="20030710"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S102	11	mobile same (plurality adj3 network) same wlan and @ad<="20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39

S103	12	mobile same (plurality adj3 network) and wlan and convert and @ad<="20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S104	398	mobile and handoff and convert and @ad<="20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S105	1370	mobile and (plurality adj3 network\$5) and @ad<="20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S106	307	S105 and relay	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S107	118	mobile and handoff and (detect WITH network) and @ad<="20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S108	9	mobile and handoff and (detect WITH presence with network) and @ad<="20020719"	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S109	33	mobile and handoff and (detect WITH presence with network) and @ad<="20020719"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S110	82	mobile with (transmits adj3 ((management or control or id or identity or connection or identification) information)) and @ad<="20030710" and handoff	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S111	82	mobile with (transmits adj3 ((management or control or id or identity or connection or identification) information)) and @ad<="20030710" and handoff	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39

S112	5	S111 and (convert with format)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S113	1370	mobile and (plurality adj3 network\$5) and @ad<="20020719"	US-PGRUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S114	129	S113 and (convert with format)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S115	4	S114 and wlan	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S116	0	("2001-086547").PN.	JPO	OR	OFF	2008/02/06 10:39
S117	1	("2001086547").PN.	JPO	OR	OFF	2008/02/06 10:39
S118	15	S113 and wlan and encapsulat\$6	US-PGRUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S119	354	mobile with (transmits adj3 ((management or control or id or identity or connection or identification) information)) and @ad<="20030710"	US-PGRUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S120	50	S119 and (handoff or handover or hand-off or hand-over)	US-PGRUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39

S121	15	(US-20030095523-\$ or US-20040209615-\$ or US-20040160919-\$ or US-20010040874-\$ or US-20030096614-\$ or US-20020187780-\$ or US-20030152049-\$ or US-20050030973-\$ or US-20050259676-\$ or US-20030087655-\$ or US-20010007551-\$ or US-20020048266-\$).did. or (US-6975604-\$).did. or (GB-2389005-\$).did. or (JP-2001086547-\$).did.	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2008/02/06 10:39
S122	0	S121 and (convert WITH to)	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2008/02/06 10:39
S123	6	S121 and convert	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2008/02/06 10:39
S124	1	("6505255").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/06 10:39
S125	2	"20040260805"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S126	15	(US-20020048266-\$ or US-20040160919-\$ or US-20040209615-\$ or US-20030095523-\$ or US-20050030973-\$ or US-20020187780-\$ or US-20030152049-\$ or US-20010040874-\$ or US-20030096614-\$ or US-20010007551-\$ or US-20050259676-\$ or US-20030087655-\$).did. or (US-6975604-\$).did. or (GB-2389005-\$).did. or (JP-2001086547-\$).did.	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2008/02/06 10:39
S127	0	S126 and SIP	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39

S128	5	SIP and token and refer and "802.11" and mobile and valid\$6 and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S129	12	SIP and token and "802.11" and mobile and (valid\$6 or authenticat\$5) and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S130	6	SIP and token and "802.11" and (mobile with (valid\$6 or authenticat\$5)) and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S131	1	((SIP or session initiation protocol) with server and parlay and "802.11" and (mobile with (valid\$6 or authenticat\$5)) and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S132	0	((send or transmit) with(SIP or session initiation protocol) with server) and (mobile with (valid\$6 or authenticat\$5))and parlay and "802.11" and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S133	71	((send or transmit) with(SIP or session initiation protocol) with server) and (mobile with (valid\$6 or authenticat\$5))and wireless and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S134	4	((send or transmit) with(SIP or session initiation protocol) with server) and (mobile with (valid\$6 or authenticat\$5))and wireless and "802.11" and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S135	0	((send or transmit) with(SIP or session initiation protocol) with server) with (mobile with (valid\$6 or authenticat\$5))and wireless and "802.11" and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39

S136	0	((send or transmit) with(SIP or session initiation protocol) with server) same (mobile with (valid\$6 or authenticat\$5)) and wireless and "802.11" and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S137	0	((send or transmit) with(SIP or session initiation protocol) with server) same (mobile same (valid\$6 or authenticat\$5)) and wireless and "802.11" and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S138	13	((SIP or session initiation protocol)) same (mobile same (valid\$6 or authenticat\$5)) and wireless and "802.11" and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S139	0	((SIP or session initiation protocol)) same ("with" near4 mobile same (valid\$6 or authenticat\$5)) and wireless and "802.11" and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S140	0	((SIP or session initiation protocol)) and ("with" near4 mobile same (valid\$6 or authenticat\$5)) and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S141	567	((SIP or session initiation protocol)) and (mobile same (valid\$6 or authenticat\$5)) and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S142	193	((SIP or session initiation protocol)) and ((valid\$6 or authenticat\$5) adj5 mobile) and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S143	41	((valid\$6 or authenticat\$5)) with ((SIP or session initiation protocol)) with mobile and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39

S144	1	((valid\$6 or authenticat\$5)) with ((SI P or session initiation protocol)) with mobile with token and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S145	2	((valid\$6 or authenticat\$5)) with ((SI P or session initiation protocol)) with mobile and token and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S146	0	((valid\$6 or authenticat\$5)) with ((SI P or session initiation protocol)) with mobile with home and token and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S147	8	((valid\$6 or authenticat\$5)) with ((SI P or session initiation protocol)) with mobile with home and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S148	19	((SI P or session initiation protocol)) same ((valid\$6 or authenticat\$5)) with mobile with home and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S149	0	((valid\$6 or authenticat\$5)) with ((parlay)) with mobile and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S150	1	((valid\$6 or authenticat\$5)) same ((parlay)) with mobile and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S151	0	((valid\$6 or authenticat\$5)) with mobile same parlay and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S152	5	((valid\$6 or authenticat\$5)) with mobile and parlay and @ad< "20031215"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39

S153	27	(US-20030095523-\$ or US-20040209615-\$ or US-20040160919-\$ or US-20020048266-\$ or US-20010040874-\$ or US-20030096614-\$ or US-20010007551-\$ or US-20030105962-\$ or US-20030087655-\$ or US-20020187780-\$ or US-20050096048-\$ or US-20030212800-\$ or US-20030172090-\$ or US-20030152049-\$ or US-20050064853-\$ or US-20050030973-\$ or US-20050259676-\$ or US-20040260805-\$ or US-20040193712-\$ or US-20040087307-\$ or US-20030014668-\$ or US-20030039237-\$ or US-20040153525-\$).did. or (US-6975604-\$ or US-7184418-\$).did. or (GB-2389005-\$).did. or (JP-2001086547-\$).did.	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2008/02/06 10:39
S154	8	S153 and "802.11"	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2008/02/06 10:39
S155	0	S153 and "802.15"	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2008/02/06 10:39
S156	0	S153 and "802.16"	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2008/02/06 10:39
S157	0	S153 and "802.20"	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2008/02/06 10:39
S158	3	S153 and "802" and bluetooth	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2008/02/06 10:39
S159	0	S153 and "802" and wimax	US-PGPUB; USPAT; EPO; JPO	ADJ	ON	2008/02/06 10:39
S160	60	"802.11" and "802.15" and authenticat\$5 and @ad<="20030710"	US-PGPUB; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39

S161	0	2005/0022007.did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S162	2	"20050022007".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S163	8	(US-20030105962-\$ or US-20050096048-\$ or US-20040193712-\$ or US-20030014668-\$ or US-20040087307-\$ or US-20050022007-\$ or US-20040186901-\$).did. or (US-7184418-\$).did.	US-PGPUB; USPAT	ADJ	ON	2008/02/06 10:39
S164	28133	(709/220-222,227-237,249 370/254-271,331).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S165	6302	(709/229-230).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S166	34	forward with authentication with token and @ad> "20030429"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S167	8	forward near3 authentication request and SIP and @ad> "20030429"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S168	3	forward near3 authentication request and SIP and @ad< "20030429"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39

S169	20	forward with authentication with token and @ad< "20030429"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S170	2374	709/204.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S171	209	709/204.ccls. and sip	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S172	7	709/204.ccls. and sip and token and authentication	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S173	0	("2006/0031291").URPN.	USPAT	ADJ	ON	2008/02/06 10:39
S174	0	("2006/0031291").URPN.	USPAT	ADJ	ON	2008/02/06 10:39
S175	11	("5317683" "5491797" "5541639" "5574934" "5642156" "5859979" "5949975" "6006253" "6336133" "6339784" "6604129").PN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/02/06 10:39
S176	2	"20040161257".did.	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S177	9	US-8030067-\$.DID. OR US-6487602-\$.DID. OR US-6456852-\$.DID. OR US-6580906-\$.DID. OR US-6035193-\$.DID. OR US-6097817-\$.DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
S178	2	"20050091344".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39

S179	2	"20030078961".did.	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 10:39
------	---	--------------------	---	-----	----	---------------------

9/ 9/ 2008 12:36:09 PM

C:\Documents and Settings\wnoonan\My Documents\EAST\Workspaces\10736389 sip
authentication mobile.wsp